

UTAH - EXTENDED WEEKLY INFLUENZA SUMMARY

MMWR Week 51 (12/18/05 - 12/247/05) - Posted 12/28/05

WEEKLY MAP OF UTAH INFLUENZA ACTIVITY





Influenza-Associated Hospitalizations by Health District and County, and by Influenza Type - Utah 2005-2006 Week Ending: 12/24/2005 **Cumulative Cases** (MMWR Week 51) 09/03/2005 - Present Type A Type B Percent Total Type A Type B Percent Total **Health District** County Percent *Unknown **Percent** *Unknown **Cases Percent** Percent Cases 0 **Bear River** Box Elder 0.0 0.0 0.0 0.0 0.0 0.0 0 80.0 20.0 0.0 80.0 5 20.0 0.0 5 Cache Rich 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Central Juab 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0 0.0 0 Millard 0.0 0.0 0.0 0.0 0.0 Piute 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Sanpete 100.0 0.0 0.0 100.0 0.0 0.0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Sevier 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Wayne **Davis** Davis 100.0 0.0 0.0 3 100.0 0.0 0.0 5 Salt Lake 90.5 0.0 9.5 21 86.5 0.0 13.5 37 Salt Lake Southeast Carbon 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 **Emery** Grand 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 San Juan Southwest Beaver 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Garfield 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Iron 0.0 Kane 0.0 0.0 0 100.0 0.0 0.0 1 Washington 100.0 0.0 0.0 2 100.0 0.0 0.0 7 0 0 Summit Summit 0.0 0.0 0.0 0.0 0.0 0.0 Tooele Tooele 100.0 0.0 0.0 2 100.0 0.0 0.0 2 **TriCounty** Daggett 100.0 0.0 0.0 1 100.0 0.0 0.0 1 0 0.0 0 Duchesne 0.0 0.0 0.0 0.0 0.0 Uintah 0.0 0.0 0.0 0 0.0 0.0 0.0 0 Utah Utah 100.0 3 0.0 9 0.0 0.0 100.0 0.0 0.0 Wasatch Wasatch 0.0 0.0 0 0.0 0.0 0.0 0 WeberMorgan Morgan 0.0 0.0 0.0 0 0.0 0.0 0.0 0 15 Weber 100.0 0.0 0.0 8 93.3 6.7 0.0

46

13.0

88.0

1.2

10.8

83

State Total

NOTE: Reported influenza cases are collected to detect onset of influenza epidemics,

87.0


0.0


but account for only a small proportion of all persons who become ill from influenza.

Total Influenza-Associated Hospitalizations by Age Group, 2005-2006							
Age Group	Number of	Percentage of	Rate Per 100,000				
	Hospitalizations	Cases by Age	Person-Years				
< 1 year	11	13.8%	21.40				
1-4 years	9	11.3%	4.53				
5-14 years	7	8.8%	1.67				
15-24 years	1	1.3%	0.24				
25-34 years	2	2.5%	0.45				
35-44 years	3	3.8%	0.96				
45-54 years	7	8.8%	2.43				
55-64 years	7	8.8%	3.70				
65-74 years	10	12.5%	8.91				
75-84 years	17	21.3%	23.10				
85+ years	6	7.5%	22.45				
All ages*	80	100.0%	3.28				

^{*} Age data does not include cases with missing age data.

^{*} Unknown tests do not differentiate between influenza A and influenza B








Weekly Percentage of Visits to Utah Sentinel Providers that were Due to Influenza-Like Illness (ILI) by Age, Health District, and County - Utah 2005 - 2006


Health District	County	Age-Specific ILI Percentage			All Ages ILI	# of Sites	
		0 - 4	5 - 24	25 -64	65+	Percentage	Reporting
Bear River	Box Elder	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Cache	0.0%	0.0%	0.0%	0.0%	14.2%	1
Rich	Rich	0.0%	0.0%	0.0%	0.0%	0.0%	0
Central	Juab	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Millard	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Piute	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Sanpete	0.0%	0.0%	0.0%	0.0%	10.5%	1
	Sevier	0.0%	0.0%	0.0%	0.0%	8.0%	1
	Wayne	0.0%	0.0%	0.0%	0.0%	0.0%	0
Davis	Davis	3.5%	23.4%	11.3%	1.6%	11.4%	2
Salt Lake	Salt Lake					8.0%	9
Southeast	Carbon	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Emery	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Grand	0.0%	0.0%	0.0%	0.0%	0.0%	0
	San Juan	0.0%	0.0%	0.0%	0.0%	0.0%	0
Southwest	Beaver	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Garfield	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Iron	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Kane	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Washington	0.0%	0.0%	0.0%	0.0%	0.0%	0
Summit	Summit	0.0%	0.0%	0.0%	0.0%	0.0%	0
Tooele	Tooele	6.1%	15.5%	3.7%	3.0%	6.3%	1
TriCounty	Daggett	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Duchesne	0.0%	0.0%	0.0%	0.0%	0.0%	0
	Uintah	0.0%	0.0%	0.0%	0.0%	0.0%	0
Utah	Utah	16.1%	13.6%	21.5%	13.9%	17.5%	1
Wasatch	Wasatch	0.0%	0.0%	0.0%	0.0%	0.0%	0
WeberMorgan	Morgan	0.0%	0.0%	0.0%	0.0%	0.0%	0
J	Weber	0.0%	0.0%	0.0%	0.0%	3.7%	1
Total		9.8%	15.7%	8.8%	1.9%	9.4%	17

Note: Some counties have not yet or do not report age-specific ILI percentages information. Age-specific data will be posted when available.









School Absenteeism Rates by County and Type of Absence Week Ending 12/24/05 (MMWR Week 51)							
Health District	County	All Absences Rate (absences/100 student-days)	Sick Absences Rate (absences/100 student-days)	ILI Absences Rate (absences/100 student-days)	# of Schools Reporting		
Bear River	Box Elder	0.0	0.0	0.0	0		
	Cache	0.0	0.0	0.0	0		
	Rich	0.0	0.0	0.0	0		
Central	Juab	0.0	0.0	0.0	0		
	Millard	0.0	0.0	0.0	0		
	Piute	0.0	0.0	0.0	0		
	Sanpete	10.0	3.4	0.8	3		
	Sevier	0.0	0.0	0.0	0		
	Wayne	0.0	0.0	0.0	0		
Davis	Davis	7.0	0.0	1.1	1		
Salt Lake	Salt Lake	6.8	4.8	0.0	5		
Southeast	Carbon	0.0	0.0	0.0	0		
	Emery	0.0	0.0	0.0	0		
	Grand	0.0	0.0	0.0	0		
	San Juan	0.0	0.0	0.0	0		
Southwest	Beaver	0.0	0.0	0.0	0		
	Garfield	0.0	0.0	0.0	0		
	Iron	0.0	0.0	0.0	0		
	Kane	0.0	0.0	0.0	0		
	Washington	0.0	0.0	0.0	0		
Summit	Summit	0.0	0.0	0.0	0		
Tooele	Tooele	0.0	0.0	0.0	0		
TriCounty	Daggett	0.0	0.0	0.0	0		
	Duchesne	0.0	0.0	0.0	0		
	Uintah	0.0	0.0	0.0	0		
Utah	Utah	0.0	0.0	0.0	0		
Wasatch	Wasatch	0.0	0.0	0.0	0		
WeberMorgan	Morgan	0.0	0.0	0.0	0		
	Weber	0.0	0.0	0.0	0		
Total		7.4	3.7	0.9	9		

UTAH - WEEKLY INFLUENZA SUMMARY

Influenza Activity in Utah:

Influenza continues to have active, widespread circulation in Utah. The number of visits for influenza-like illness continues to be above state threshold levels. Student absences are also above threshold levels. Additionally, 83 hospitalizations associated with influenza have been reported to the UDOH this season. Most of these hospitalizations have occurred in individuals with high-risk factors and have been associated with Type A influenza.

As of 12/28/2005, no pediatric influenza-associated deaths have been reported in Utah.

Click on the map to access national CDC surveillance information.



INFLUENZA PREVENTION

How to protect yourself and others:

- 1. Utahns should get an influenza vaccine.
- **Contact your provider or the Immunization Hotline (1-800-275-0659) to locate an influenza shot.
- 2. All Utahns should practice "respiratory etiquette" to reduce the spread of respiratory diseases.
- ** Stay away from other people when you are sick.
- ** Cover your mouth and nose with a disposable tissue when you cough or sneeze. Throw the tissue away.
- ** Wash your hands.
- 3. We urge schools and employers to be supportive of these preventive measures.